

ENGINEERED HARDWOOD WALL PANELS



FINISH Fluted 5" Oak UV, Walnut: Varnish 10% Gloss with Antimicrobial Additive Fluted 5" Oak Oil: 100% Natural Oil Fluted 5" Grey, White: Stained plus Varnish 10% Gloss with Antimicrobial Additive

SPECIES

Fluted 5" Grey, Oak, White: White Oak with a MDF Core Fluted 5" Walnut: Walnut with a MDF Core

WIDTH/LENGTH Fluted 5": 11.75"/ 96" or 11.75"/ 120" *Available in 8' length or 10' length COVERED AREA PER PANEL Fluted 5" Oak, Walnut, Grey, White: 96"/7.8 Sq.ft. or 120"/9.8 Sq.ft. *Sold per Unit; Ships LTL

THICKNESS Fluted 5": 0.51"



23O9 FLUTED 5" GREY







23O6 FLUTED 5" OAK OIL







23O5 FLUTED 5" OAK UV




2309 FLUTED 5" GREY














23O3 FLUTED 2" GREY







FINISH Fluted 2" Oak UV, Walnut: Varnish 10% Gloss with Antimicrobial Additive Fluted 2" Oak Oil: 100% Natural Oil Fluted 2" Grey, White: Stained plus Varnish 10% Gloss with Antimicrobial Additive

SPECIES Fluted 2" Grey, Oak, White: White Oak with a MDF Core Fluted 2" Walnut: Walnut with a MDF Core

WIDTH/LENGTH Fluted 2": 11.75"/ 96" or 11.75"/ 120" *Available in 8' length or 10' length

COVERED AREA PER PANEL Fluted 2" Oak, Walnut, Grey, White: 96"/7.8 Sq.ft. or 120"/9.8 Sq.ft. *Sold per Unit; Ships LTL

THICKNESS Fluted 2": 0.51"



2090 FLUTED WALNUT



2090 FLUTED WALNUT




2036 FLUTED OAK



2036 FLUTED OAK



2097 FLUTED GREY



2097 FLUTED GREY



FINISH

Fluted Oak, Walnut: Varnish 10% Gloss with Antimicrobial Additive Fluted Grey, White: Stained plus Varnish 10% Gloss with Antimicrobial Additive

WIDTH/LENGTH
Fluted Oak, Walnut, Grey, White:
11.75"/ 96" or 11.75"/ 120"
*Available in 8' length or 10' length

SPECIES
Fluted Oak, Grey, White:
White Oak with a MDF Core
Fluted Walnut: Walnut

THICKNESS Fluted: 0.51"

with a MDF Core

COVERED AREA PANEL Fluted Oak, Walnut, Grey, White: 96"/7.8 Sq.ft. or 120"/9.8 Sq.ft. *Sold per Unit; Ships LTL Only

2098 FLUTED WHITE









2095 INTERSQUARE WALNUT



2093 HEX OAK OIL



2096 PEAKS WALNUT



2092 HEX WALNUT



2092 HEX WALNUT



2096 PEAKS WALNUT

FINISH

Hex Walnut, Intersquare Walnut, Peaks Walnut: Varnish 10% Gloss with Antimicrobial Additive Hex Oak Oil: 100% Natural Oil

WIDTH/LENGTH

Hex Oak Oil, Hex Walnut: 11.75"/ 45.9" Intersquare Walnut: 15.7"/ 47.2" Peaks Walnut: 15.5"/ 47.2"

SPECIES

Hex Walnut, Intersquare Walnut, Peaks Walnut: Walnut with a MDF Core Hex Oak Oil: White Oak with a MDF Core

THICKNESS

Hex Oak Oil, Hex Walnut, Intersquare Walnut, Peaks Walnut: 0.51"

COVERED AREA PER CASE Hex Oak Oil, Hex Walnut: 11.1 Sq.ft. Intersquare Walnut: 15.3 Sq.ft. Peaks Walnut: 15.27 Sq.ft.




FINISH Amazed (Oak/Walnut), Intersect (Oak/Walnut): Varnish 10% Gloss with Antimicrobial Additive

WIDTH/LENGTH Amazed (Oak/Walnut): 14.4"/ 47.1" Intersect (Oak/Walnut): 15.4"/47.6" **SPECIES** Amazed Oak, Intersect Oak: White Oak with an MDF Core Amazed Walnut, Intersect Walnut:

THICKNESS Amazed (Oak/Walnut): 0.51" Intersect (Oak/Walnut): 0.51"

Walnut with an MDF Core

COVERED AREA PER CASE Amazed (Oak/Walnut): 14.1 Sq.ft. Intersect (Oak/Walnut): 15.27 Sq.ft.



2031 AMAZED OAK



2O94 AMAZED WALNUT



2031 AMAZED OAK



2094 AMAZED WALNUT



2038 INTERSECT OAK







2091 INTERSECT WALNUT


Midnight Collection



3006 BLACK FLUTED

3007 BLACK FLUTED 2"












3003 BLACK AMAZED




3002 BLACK INTERSECT



3004 BLACK INTERSQUARE



3005 BLACK PEAKS



WIDTH/LENGTH

Amazed: 14.4"/47.1" Fluted, Fluted 2", 5": 11.75"/96" or 11.75"/120" *Available in 8' length or 10' length

Hex: 11.75"/ 45.9" Intersect: 15.4" / 47.6" Intersquare: 15.7"/ 47.2" Peaks: 15.5" / 47.2"

FINISH


Varnish 10% Gloss with Antimicrobial Additive

SPECIES Black MDF with 0.5mm Wood Veneer Backing

THICKNESS 0.49"

COVERED AREA PER CASE Amazed: 14.1 Sq.ft. Fluted, Fluted 2", 5": 96"/7.8 Sq.ft. or 120"/9.8 Sq.ft. *Sold per Unit; Ships LTL Hex: 11.1 sq.ft. Intersect, Peaks: 15.27 Sq.ft. Intersquare: 15.3 Sq.ft.


Acoustical Collection - Eco



8003 FLUTED ECO OAK




8005 FLUTED ECO GREY




8005 FLUTED ECO GREY



8004 FLUTED ECO WALNUT



8006 FLUTED ECO WHITE



8003 FLUTED ECO OAK



WIDTH/LENGTH Fluted Eco: 11.75"/96"


THICKNESS Fluted Eco: 0.87"

COVERED AREA PER PANEL Fluted Eco: 7.8 Sq.ft. per panel *Sold per Unit; Ships LTL FINISH

Fluted Eco Grey, Oak, Walnut, White: Varnish 10% Gloss with Antimicrobial Additive NRC AND FIRE RATING
Fluted Eco: NRC 0.54 up to 0.90
*Depending on Mounting Method
Class A Fire

SPECIES

Fluted Eco Oak, Grey, White: White Oak / Wood Veneer with a MDF Core with a Felt Backing. Fluted Eco Walnut: Walnut/ Wood Veneer with a MDF Core with a Felt Backing.



WIDTH/LENGTH

Acoustical Arbour, Hex: 12.8"/48" Acoustical Fluted: 12.8"/96"

COVERED AREA PER CASE
Acoustical Arbour, Hex: 8.6 Sq.ft.
Acoustical Fluted: 8.5 Sq.ft. per panel
*Sold per Unit; Ships LTL

FINISH

Acoustical Arbour, Fluted, Hex: Varnish 10% Gloss with Antimicrobial Additive

SPECIES

Acoustical Arbour, Hex: White Oak with a MDF Core Backing Stone Wool with MDF Frame Acoustical Fluted: White Oak with Fire Treated MDF Core backing Stone Wool with MDF Frame

THICKNESS

Acoustical Arbour, Hex: 0.92" Acoustical Fluted: 1.14"

NRC AND FIRE RATING
Acoustical Arbour, Fluted, Hex:
NRC 0.60 & Class A Fire


Acoustical Collection






8002 ACOUSTICAL ARBOUR

8001.2 ACOUSTICAL FLUTED








8001) ACOUSTICAL FLUTED




8002 ACOUSTICAL ARBOUR



8007 ACOUSTICAL FLUTED WALNUT



OOR ACQUISTICAL FLUTED GREY






8010 ACOUSTICAL HEX WALNUT



8011 ACOUSTICAL ARBOUR WALNUT



8007 ACOUSTICAL FLUTED WALNUT



WIDTH/LENGTH

Acoustical Arbour, Hex Walnut: 12.8"/48" Acoustical Fluted Grey, Walnut, White: 12.8"/96"

THICKNESS

Acoustical Arbour, Fluted, Hex: 1.14" Acoustical Fluted Grey, Walnut, White: 1.14"

FINISH

Acoustical Arbour, Fluted, Hex Walnut: Varnish 10% Gloss with Antimicrobial Additive Acoustical Fluted Grey, White: Stained plus Varnish 10% Gloss with Antimicrobial Additive

NRC AND FIRE RATING

Acoustical Arbour, Fluted, Hex Walnut: Acoustical Fluted Grey, Walnut, White: NRC 0.60 & Class A Fire

*Acoustical Hex and Arbour can be ordered as a 'Standard-Custom' in Grey and White for a minimum of 500 Sq. ft.

COVERED AREA PER CASE

Acoustical Arbour, Hex Walnut: 8.6 Sq.ft. Acoustical Fluted: 8.5 Sq.ft. per Panel *Sold per Unit; Ships LTL

SPECIES

Acoustical Arbour Walnut, Hex Walnut: Walnut with Fire Treated MDF Core Backing Stone Wool with MDF Frame Acoustical Fluted Grey, White: White Oak with Fire Treated MDF Core Backing Stone Wool with MDF Frame

Paintable Collection



WIDTH/LENGTH Amazed: 14.4"/ 47.1" Fluted (2"/5"): 11.75"/96" Hex: 11.75"/ 45.9" Intersect: 15.4"/ 47.6" Intersquare: 15.7"/ 47.2" Peaks: 15.5"/ 47.2"

THICKNESS Amazed, Fluted (2"/5"), Hex, Intersect, Intersquare, Peaks: 0.48"

SPECIES Amazed, Fluted (2"/5"), Hex, Intersect, Intersquare, Peaks: 100% MDF with a Laminate Backer COVERED AREA PER CASE Amazed: 14.1 Sq.ft. Fluted (2"/5"): 7.8 Sq.ft. per panel *Sold per Unit; Ships LTL Hex: 11.1 Sq.ft. Intersect, Peaks: 15.27 Sq.ft. Intersquare: 15.3 Sq.ft.

FINISH Amazed, Fluted (2"/5"), Hex, Intersect, Intersquare, Peaks: Unfinished



2086 PEAKS PAINTABLE





2082 INTERSECT PAINTABLE



2081 HEX PAINTABLE



2080 FLUTED PAINTABLE




2085 INTERSQUARE PAINTABLE



2088 FLUTED 5" PAINTABLE

The Paintable collection is made out of nude 12 mm MDF. The panels are unfinished and intended to be painted to your desired color. * It is recommended to paint the panel with acrylic primer and paint to seal. Consult with your local paint store for specific product information.

Cork Collection



8202 CORTICA DARK GRAY



8100 CORCHO NATURAL



8200 CORTICA NATURAL



8202 CORTICA DARK GRAY



8201 CORTICA WHITE



8100 CORCHO NATURAL



8102 CORCHO DARK GRAY



8101 CORCHO WHITE



WIDTH/LENGTH

Corcho (Natural/ White/ Dark Gray): 12"/ 48" Cortica (Natural/ White/ Dark Gray): 12"/ 48"

FINISH

Corcho Natural, Cortica Natural: Matte Varnish Corcho (White/ Dark Gray), Cortica (White/ Dark Gray): 2 Coats of Acrylic Paint

SPECIES

Corcho, Cortica: Cork with a MDF Core

THICKNESS 0.39"

COVERED AREA PER CASE Corcho, Cortica: 20 Sq.ft.





WIDTH/LENGTH Cubed: 17.14"/ 45.15" Incline and Vertex: 24"/24" Slant: 23.5"/23.5" Zig Zag: 16.05"/ 41.69"


SPECIES

Cubed, Slant, Vertex: White Oak with a MDF Core Incline, Zig Zag: Walnut with a MDF Core

THICKNESS Cubed, Incline, Slant, Vertex, Zig Zag: 0.28"

COVERED AREA PER CASE Cubed: 21.48 Sq.ft. Incline: 24 Sq.ft. Slant: 15.3 Sq.ft. Vertex: 24 Sq.ft. Zig Zag: 18.6 Sq.ft.





2O37 INCLINE





2O32 CUBED










2032 CUBED





2033 ZIG ZAG



4422 RHOMBUS PLAY



8844 LOZENGE



3313 POLYGON



8844 LOZENGE




O929 QUADRI



O929 QUADRI



4422 RHOMBUS PLAY



Lozenge: 100% Natural Oil Polygon: 100% Natural Oil Quadri: 100% Natural Oil Rhombus Play: 100% Natural Oil

WIDTH/LENGTH

Lozenge, Polygon, Rhombus Play: 14"/48.5"

Quadri: 11.25"/ 56.25"

Lozenge: White Oak Polygon: White Oak Quadri: Barn Wood Rhombus Play: Poplar

Polygon, Rhombus Play: 14.1 Sq.ft.

Quadri: 8.8 Sq.ft.

THICKNESS VARIATION

Lozenge, Polygon, Rhombus Play: 0.26" and 0.47"

Quadri: 0.71", 0.91" and 1.11"

WIDTH/LENGTH 13.44"/53.75"

FINISH

Oak Weave: 100% Natural Oil Walnut Weave: 100% Natural Oil COVERED AREA PER CASE 20 Sq.ft.

THICKNESS 0.59"

SPECIES

Oak Weave: White Oak Walnut Weave: Walnut








2002 WALNUT WEAVE







2002 WALNUT WEAVE

Our Teak Natural, Cloud, Coco RC are FSC-Certified, composed entirely of recycled wood from old homes and buildings from Indonesia. Through FSC-certification, we demonstrate our commitment to the environment.







6003 TEAK CLOUD RC

FINISH Teak Classic RP: Unfinished Teak Natural RC: Unfinished Teak Cloud, Coco RC: Pre-Stained

WIDTH/LENGTH Teak Classic RP: 8"/19.5" Teak Natural, Cloud, Coco RC: 8"/19.5" SPECIES Teak Classic RP: Recycled Teak Teak Natural RC: Recycled Teak Teak Cloud, Coco RC: Recycled Teak COVERED AREA PER CASE Teak Classic RP: 10.8 Sq.ft. Teak Natural RC: 10.8 Sq.ft. Teak Cloud, Coco RC: 10.8 Sq.ft.

THICKNESS VARIATION Teak Classic RP: 0.25" and 0.85" Teak Natural, Cloud, Coco RC: 0.25" and 0.85"










6002 TEAK NATURAL RC



6003 TEAK CLOUD RC



6004 TEAK COCO RC





Rootwood Beach, Dyed: Pre-Stained Rootwood Natural: Unfinished Branchwood Natural: Unfinished

WIDTH/LENGTH Rootwood Beach, Dyed, Natural: 9"/19.5"

Branchwood Natural: 8"/19.5"


/19.5"

SPECIES

Rootwood Beach, Dyed, Natural: Repurposed Teak Root Wood Branchwood Natural: Repurposed Teak Branch Wood

THICKNESS VARIATION
Rootwood Beach, Dyed, Natural: 0.25" and 0.85"
Branchwood Natural: 0.25" and 0.85"

COVERED AREA PER CASE Rootwood Beach, Dyed, Natural: 11 Sq.ft. Branchwood Natural: 10.8 Sq.ft.





6007 ROOTWOOD BEACH




6006 ROOTWOOD DYED



6005 ROOTWOOD NATURAL



6008 BRANCHWOOD NATURAL



6009 HEXACOMB NATURAL














6011 BARKWOOD NATURAL



Hexacomb Natural: Unfinished Hexacomb Coco: Pre-Stained Barkwood Natural: Unfinished Prosperity Natural: Unfinished Prosperity Coco: Pre-Stained

WIDTH/LENGTH Hexacomb: 8.19"/21.25" Barkwood: 7.87"/19.69" Prosperity: 14.56"/21.87"

Hexacomb: Teak Root Wood Barkwood: Teak Bark Wood Prosperity: Teak Root Wood

Hexacomb: 10.8 Sq.ft. Barkwood: 10.8 Sq.ft. Prosperity: 11.0 Sq.ft.

THICKNESS VARIATION Hexacomb, Barkwood, Prosperity: 0.37" and 0.87"

WIDTH/LENGTH Cellar: 14"/40" Heraldry: 16.5"/59.5" Origin: 18"/68" Washed: 18"/68"

COVERED AREA PER CASE

Cellar: 15.6 Sq.ft. Heraldry: 27.2 Sq.ft. Origin: 25.5 Sq.ft. Washed: 25.5 Sq.ft.

SPECIES
Barn Wood

THICKNESS VARIATION Cellar: 0.39" and 0.43" Heraldry: 0.43" and 0.51" Origin: 0.47" and 0.55" Washed: 0.47" and 0.55"

FINISH

Cellar: Unfinished Heraldry: Unfinished Origin: Unfinished

Washed: Wire Brushed and Stained



O9O3 CELLAR



OIOI HERALDRY



2022 WASHED



2021 ORIGIN





OIOI HERALDRY



2022 WASHED



2021 ORIGIN

WIDTH/LENGTH 14"/57"

THICKNESS VARIATION 0.28" and 0.35"

COVERED AREA PER CASE 22 Sq.ft.

FINISH

Antiqued: 100% Natural Oil Juglans: Varnish 10% Gloss with Antimicrobial Additive

SPECIES
Antiqued: White Oak
Juglans: Walnut



2012 JUGLANS




4796 ANTIQUED











WIDTH/LENGTH 14"/44"

THICKNESS VARIATION 0.33" and 0.39"

SPECIES COVERED AREA PER CASE
Maple 17 Sq.ft.

ATION FINISH
"Varnish

Varnish 10% Gloss with Antimicrobial Additive



O429 LOBO



OIII ADVENT





Andover, Beach: 100% Natural Oil Barn: Varnish 10% Gloss with Antimicrobial Additive Natural: Unfinished

WIDTH/LENGTH Andover, Barn, Beach: 14"/47" Natural: 14"/ 44"

SPECIES Andover, Beach: White Oak


Barn: Walnut Natural: Barn Wood

THICKNESS VARIATION

Andover, Barn, Beach: 0.43" and 0.51"

Natural: 0.47" and 0.55"

Natural: 17 Sq.ft





O318 BARN




3812 BEACH



O318 BARN



3812 BEACH





2590 ANDOVER



1231 NATURAL









913O NIAGARA

O310 NANAVUT

1012 YUKON



O3IO NANAVUT



1012 YUKON


WIDTH/LENGTH 13.5"/53.5"

THICKNESS VARIATION 0.19", 0.26" and 0.31"


COVERED AREA PER CASE 25 Sq.ft.

FINISH 100% Natural Oil

SPECIES Nanavut: Red Oak Niagara: White Oak Yukon: Maple



1223 ALBERTA



O530 MANITOBA




1223 ALBERTA



O6O2 BRITISH COLUMBIA



O53O MANITOBA



WIDTH/LENGTH 12"/60"

THICKNESS VARIATION 0.35" and 0.43"

COVERED AREA PER CASE 25 Sq.ft.

FINISH 100% Natural Oil

SPECIES
Mix of Hardwood Species

Due to the nature of the product as a unique and organic material, imperfections and variations in wood grain and color may vary from samples.



1105 PRINCE EDWARD



1105 PRINCE EDWARD

WIDTH/LENGTH 13.5"/53.5"

Walnut


SPECIES


COVERED AREA PER CASE 25 Sq.ft.


THICKNESS VARIATION 0.19", 0.26" and 0.31"


FINISH

Varnish 10% Gloss with Antimicrobial Additive









Trim Pieces

Corner and Contour Moldings

Design is in the details. You can customize your look by installing our decorative panels wall to wall or with corner or contour molding. Our trim is sold in 90" pieces; availability varies based on species and wall panel. Please contact your sales representative today for more information.








Customization

Limitless Design Options

We have extensive experience taking conceptual designs and quickly translating them into prototypes and tangible products. That's a huge advantage for designers and architects. We act as a facilitator, knocking down barriers one by one so nothing stands in the way of your creative process.



CUSTOM BARNWOOD



CUSTOM WHITE



CUSTOM FLUTED WITH LOGO



CUSTOM HICKORY

Customization

We Bring Your Ideas to Life

Products can be personalized or fully customized.
Can't find the exact design or finish you want in our collections? When creativity calls, we're there every step of the way. Take advantage of our clever, artistic approaches as we guide you through a fast, personalized development process that takes into account your creative vision.

Quick Mock-Ups

You need to know your idea will work, and you need to know now. One of the things architects and designers appreciate about working with Stacked Wood is our ability to develop mock-ups in short order, helping streamline your creative process.





Tailor Made Process



CHOOSE FROM ITEMS THAT ARE EASILY MADE FOR YOU IN OUR TAILOR MADE SELECTION, IT IS A DIFFERENT WAY TO ORDER STACKED WOOD WALLS.

WE HAVE SHEETS READY TO GO FOR YOUR DESIGN NEEDS.

Select Your Design

Select one of six design options to start the Tailor Made process.

Choose Your Wood

Select either Walnut or White Oak as your wood species.


Select Your Finish

Choose from 10% Varnish finish with an added antimicrobial additive or 100% Natural Oil.

Ship Time

Once your order is processed your order will be available to ship in five to seven business days.


DESIGN OPTIONS



WOOD OPTIONS



FINISH OPTIONS





HEX OAK - UV



INTERSQUARE OAK - OIL



AMAZED OAK - OIL




FLUTED OAK - OIL



INTERSECT OAK - OIL

FLUTED CEILING TILE - 2 OAK & 2 WALNUT TILES



EMERALD CEILING TILE - 2 OAK & 2 WALNUT TILES



INTERSQUARE CEILING TILE - 2 OAK & 2 WALNUT




SHIFT OAK TILE - 2 OAK & 2 WALNUT TILES



SLANT CEILING TILE - 2 OAK & 2 WALNUT TILES



LINEAR CEILING TILE - 2 OAK & 2 WALNUT TILES



AERIAL CEILING PLANKS - OAK



AERIAL CEILING PLANKS - WALNUT



SLEEK CEILING PLANKS - OAK



SLEEK CEILING PLANKS - WALNUT



CEILING TILES AND PLANKS ARE A NEW OUTSTANDING PROGRAM BROUGHT TO THE STACKED WOOD LINE. LOOK FOR THE NEW BROCHURE.


Select Your Design, Wood, and Profile Select your tile or plank design in either White Oak or Walnut. If you are selecting a tile chose between 9/16 or 15/16 track profile.

Acoustical Option

Add a black EcoCore 0.9" thick panel to the back of any Stacked Wood Ceiling Tile or Panel to gain an NRC rating between 0.55-0.65 (depending on mounting method). Made of 100% polyester. Class A Fire rating.

Contact Your Rep

Reach out to your sales rep to figure out the number of tiles needed, profile, acoustical option and more.



SUMMARY

Experience Samples

Experience the beauty of Stacked Wood through curated samples; they provide a tactile and visual experience, allowing you to explore the character and color of the material in person. By examining the sample, you can fully appreciate the unique grains, textures, and variations that make stacked wood a captivating choice for your space.




Due to the nature of the product as a unique and organic material, imperfections and variations in wood grain, cork, and color may vary from samples.






Cork







SUMMARY





PROUDLY DISTRIBUTED BY:



30600 Aurora Road, Suite 110, Solon, OH 44139 P: 800-358-6332 • designresource-midwest.com



2275 Auto Centre Drive, Glendora, CA 91740 P: 800-472-7891 • lbiboyd.com



30600 Aurora Road, Suite 110, Solon, OH 44139 P: 800-362-9930 • fashionadco.com

Front Cover: 2097 Fluted Grey Back Cover: 2037 Incline

